

Carlisle Roof Foam and Coatings Safety Data Sheet

1. Identification of Substance:

Product Name: PREMISEAL 70 **Supplier Identification:**

Address:

100 Enterprise Dr. Cartersville, GA 30120

Telephone: Carlisle Roof Foam and Coatings (770) 607-0755

> 24-Hr. Emergency Phone Number: CHEMTREC (800) 424-9300

INTERNATIONAL: +1-(703) 527-3887

Product Use: Polyurethane polyol component

2. Hazards Identification:

GHS Ratings:

Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Skin sensitizer	1	Skin sensitizer
Organ toxin single exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance) - Human evidence in exceptional cases
Organ toxin repeated exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance)- Human evidence in exceptional cases

GHS Hazards

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure

GHS Precautions

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER in case of overexposure.
P314	Get Medical advice/attention if you feel unwell
P321	Specific treatment is urgent (see Section 4 First Aid measures)
P362	Take off contaminated clothing and wash before reuse

SDS for: PREMISEAL 70 Page 1 of 8 P363 Wash contaminated clothing before reuse P302+P352 IF ON SKIN: Wash with soap and water

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P309+P311 IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician

P332+P313 If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container in accordance with existing federal, state, and local

environmental control laws.

Signal Word: Danger





Acute Toxicity:

Eyes: Corrosive to eyes. **Skin:** Irritating to skin.

Inhalation: Not expected to be a route of exposure. **Ingestion:** Harmful if swallowed. Consult physician.

Chronic Effects: Possible harmful target organ effects

3. Composition/Data on Components:

Chemical Name	CAS number	Weight Concentration %
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched	940912-28-7	20.00% - 30.00%
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	5.00% - 10.00%
1,1,1,3,3-Pentafluoropropane	460-73-1	5.00% - 10.00%
Triethyl phosphate	78-40-0	1.00% - 5.00%
1,3-Propanediamine, N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethyl-	33329-35-0	1.00% - 5.00%
Diethylene glycol	111-46-6	1.00% - 5.00%
2-(Dimethylamino)ethanol	108-01-0	0.10% - 1.00%
Bis(2-dimethylaminoethyl) ether	3033-62-3	0.10% - 1.00%
Ethylene glycol	107-21-1	0.10% - 1.00%

4. First Aid Measures:

Inhalation: If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

After Eye Contact: Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician

SDS for: PREMISEAL 70 Page 2 of 8

After Skin Contact: Clean affected area with soap and plenty of water.

After Swallowing: Consult physician.

Notes to Physician: Treat symptomatically.

5. Fire Fighting Measures:

Flash Point: 102 C (216 F)

LEL: N/A UEL: N/A

Upper and Lower Explosive Limits listed if known.

Suitable Extinguishing Agents: Water spray, CO2, Foam, Dry chemical.

Information about Protection against Explosions and Fires: Keep away from flames and sources of heat. Closed containers may rupture when exposed to extreme heat.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride.

Protective Equipment: Firefighters should wear a pressure demand self-contained breathing apparatus and protective clothing.

6. Accidental Release Measures:

Person-Related Safety Precautions: Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

Measures for Environmental Protection: Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece) clean surface thoroughly to remove residual contamination.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

7. Handling and Storage:

Information for Safe Handling: Avoid contact with eyes, skin, or inhalation.

Storage Requirements: Store in dry, well ventilated area. Keep containers tightly closed. Store between

SDS for: PREMISEAL 70 Page 3 of 8

Regulatory Requirements: Obey all local, state, and federal requirements.

8. Exposure Controls and Personal Protection:

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)a mino]methyl]-4-branched nonylphenol 940912-28-7	Not Established	Not Established	Not Established
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
1,1,1,3,3-Pentafluoropropane 460-73-1	Not Established	Not Established	Not Established
Triethyl phosphate 78-40-0	Not Established	Not Established	Not Established
1,3-Propanediamine, N,N-bis[3-(dimethylamino)pro pyl]-N',N'-dimethyl- 33329-35-0	Not Established	Not Established	Not Established
Diethylene glycol 111-46-6	Not Established	Not Established	Not Established
2-(Dimethylamino)ethanol 108-01-0	Not Established	Not Established	Not Established
Bis(2-dimethylaminoethyl) ether 3033-62-3	Not Established	0.15 ppm STEL 0.05 ppm TWA	Not Established
Ethylene glycol 107-21-1	50 ppm Cieling	100 mg/m3 Ceiling (aerosol only)	Not Established

Engineering Controls: No specific measures required if proper PPE precautions are followed.

General Protective and Hygienic Measures: Usual precautionary measures should be adhered to when handling chemicals.

Respiratory Protection: In spray applications, an organic vapor/particulate respirator or air supplied unit is necessary.

Protection of Hands: Protective chemical resistant gloves. **Eye Protection:** Chemical resistant goggles must be worn. **Body Protection:** Protective work clothing. Launder separately.

Contaminated Gear: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

9. Physical and Chemical Properties:

Physical properties listed where known.

SDS for: PREMISEAL 70 Page 4 of 8

Appearance: Amber liquid Odor: Amine odor

Vapor Pressure: N/A
Vapor Density: N/A
Specific Gravity 1.15
Melting point: N/A
Freezing point: N/A
Solubility: N/A

Boiling range: 100 - 342°C Flash point: 216°F,102°C

Evaporation rate: N/A Flammability: N/A

Explosive Limits: N/A Partition coefficient N/A (n-octanol/water):

Autoignition temperature: 229°C Decomposition temperature: N/A

10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents.

Hazardous Polymerization: Not expected to occur.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

11. Toxicological Information:

Mixture Toxicity

Oral Toxicity LD50: 2,321mg/kg Inhalation Toxicity LC50: 27mg/L

Component Toxicity

13674-84-5	2-Propanol, 1-chloro-, phosphate (3:1) Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)
33329-35-0	1,3-Propanediamine, N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethyl- Dermal LD50: 1,150 mg/kg (Rabbit) Inhalation LC50: 2 mg/L (Rat)
111-46-6	Diethylene glycol Oral LD50: 1,120 mg/kg (Rat) Dermal LD50: 5,000 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)
108-01-0	2-(Dimethylamino)ethanol Oral LD50: 1,803 mg/kg (Rat) Dermal LD50: 3,000 mg/kg (Rabbit) Inhalation LC50: 1,641 ppm
3033-62-3	(Rat) Bis(2-dimethylaminoethyl) ether Oral LD50: 910 mg/kg (Rat) Dermal LD50: 238 mg/kg (Rabbit) Inhalation LC50: 117 ppm (Rat)
107-21-1	Ethylene glycol Oral LD50: 2,000 mg/kg (Rat) Dermal LD50: 3,500 mg/kg (Rat) Inhalation LC50: 3 mg/kg (Rat)

Individual Toxicity Values Listed if Known

Acute Toxicity:

Eyes: Corrosive to eyes. **Skin:** Irritating to skin.

Inhalation: Not expected to be a route of exposure. **Ingestion:** Harmful if swallowed. Consult physician.

Chronic Effects: Possible harmful target organ effects.

SDS for: PREMISEAL 70 Page 5 of 8

Printed: 12/12/2018 at 11:26:58AM

Routes of Entry: Ingestion, skin contact, eye contact.

Target Organs: Skin, eyes, kidneys

Chemicals with Known or Possible Carcinogenic Effects:

Carcinogen Rating CAS Number Description % Weight

None None

12. Ecological Information:

General Information: Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13.

Individual component ecotoxicity listed if known.

Component Ecotoxicity

(3:1)

2-Propanol, 1-chloro-, phosphate

96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static]

48 Hr EC50 Daphnia magna: 63 mg/L

72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella

subcapitata: 4 mg/L

1,3-Propanediamine,

48 Hr LC50 Orzyias latipes 430 mg/L

N,N-bis[3-(dimethylamino)propyl]-N

',N'-dimethyl-

48 Hr EC50 Daphnia 48 mg.L

Diethylene glycol

96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through]

48 Hr EC50 Daphnia magna: 84000 mg/L

2-(Dimethylamino)ethanol

96 Hr LC50 Pimephales promelas: 81 mg/L [static]

48 Hr EC50 Daphnia magna: 98.77 mg/L

72 Hr EC50 Desmodesmus subspicatus: 35 mg/L

Ethylene glycol

96 Hr LC50 Oncorhynchus mykiss: 41000 mg/L; 96 Hr LC50 Oncorhynchus mykiss: 14 - 18 mL/L [static]; 96 Hr LC50 Lepomis macrochirus: 27540 mg/L [static]; 96 Hr

LC50 Oncorhynchus mykiss: 40761 mg/L [static]; 96 Hr LC50 Pimephales

promelas: 40000 - 60000 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 16000 mg/L

[static]

48 Hr EC50 Daphnia magna: 46300 mg/L

96 Hr EC50 Pseudokirchneriella subcapitata: 6500 - 13000 mg/L

13. Disposal Considerations:

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

Empty Container Precautions: Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

14. Transport Information:

DOT Regulated Components:

This product is not regarded as dangerous goods according to the national and international regulations

SDS for: PREMISEAL 70 Page 6 of 8 Printed: 12/12/2018 at 11:26:58AM on the transport of dangerous goods unless specifically cited below:

Agency Proper Shipping Name UN Number Packing Group Hazard Class

None

15. Regulatory Information:

OSHA HAZARD COMMUNICATION STANDARD: This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard.

WARNING: This product can expose you to chemicals listed below, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov

Formaledhyde 50-00-0 < 1 PPM CARC

Diethanolamine 111-42-2 < 1 PPM CARC

1,4-Dioxane 123-91-1 319 PPM CARC

Acetaldehyde 75-07-0 319 PPM CARC

Ethylene glycol 107-21-1 0.1 to 1.0 % DEVELOPMENTAL

Massachusetts Right To Know List:

2-(Dimethylamino)ethanol 108-01-0 0.1 to 1.0 %

New Jersey Right To Know List:

2-(Dimethylamino)ethanol 108-01-0 0.1 to 1.0 %

Pennsylvania Right To Know List:

2-(Dimethylamino)ethanol 108-01-0 0.1 to 1.0 % Diethylene glycol 111-46-6 1 to 5 %

SARA 302 Extremely Hazardous Substances:

- None

Chemicals subject to SARA 313 Reporting:

- None

Country Regulation All Components Listed

Canada Canada DSL Yes
US Toxic Substances Control Act Yes

16. Other Information:

Safety Data Sheet issued by Product Safety Department

SDS for: PREMISEAL 70 Page 7 of 8

Printed: 12/12/2018 at 11:26:58AM

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Carlisle Roof Foam and Coatings. The data on these sheets relates only to the specific material designated herein. Carlisle Roof Foam and Coatings assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2018-12-12 Reviewer Revision 0

Date Prepared: 12/12/2018

SDS for: PREMISEAL 70 Page 8 of 8

Printed: 12/12/2018 at 11:26:58AM